ANALYTICA CHIMICA ACTA, VOL. 239 (1990)

AUTHOR INDEX

Abe. H.

 Kanaya, S., Komukai, T., Takahashi, Y. and Sasaki, S. Systemization of semantic descriptions of odors 73

Agudo, M

Marcos, J., Ríos, A. and Valcárcel, M.

Analytical potential of flow gradients in une

Analytical potential of flow gradients in unsegmented flow systems 211

Al-Zamil, Z.

-, Sultan, S.M. and Hassan, Y.A.

Indirect determination of amino acids by molecular emission cavity analysis 161

Antuch, W., see Besada, V. 301

Arai, Y., see Handa, M. 107

Avaca, L.A., see Britz, D. 87

Baranski, A.S., see Harman, A.R. 35

Bennekom, W.P. Van, see Halvax, J.J. 171

Benzo, Z. De, see Gomez, M.J. 229

Bermejo-Barrera, A.

-, Yebra-Biurrun, M.C. and Fraga-Trillo, L.M.

Spectrophotometric determination of uranium in natural waters 321

Bertolo, P.L., see Gennaro, M.C. 203

Besada, V.

—, Antuch, W., Cinza, A., Rojas, I., Quintana, M., Padron, G., Takao, T. and Shimonishi, Y.

Chemical characterization of recombinant human epidermal growth factor 301

Booksh, K.

-, Harder, S., Neu, M. and Stolzberg, R.J.

Monte Carlo simulations for predicting the precision of results and for optimizing data acquisition schedules 53

Bos, M., see Van Nugteren-Osinga, I.C. 245

Britz, D.

—, Marques da Silva, B., Avaca, L.A. and Gonzalez, E.R. The Saul'yev method of digital simulation under derivative boundary conditions 87

Bult, A., see Halvax, J.J. 171

Calorkerinos, A.C., see Syropoulos, A.B. 195

Camões, M.F.G.F.C., see Lito, M.J.G.H.M. 129

Cerdá, V., see Más, F. 151

Cinza, A., see Besada, V. 301

Cordero, A., see Gennaro, M.C. 203

Coulet, P.R., see D'Urso, E.M. 1

Covington, A.K., see Lito, M.J.G.H.M. 129

Crisponi, G., see Nurchi, V. 157

De Benzo, Z., see Gomez, M.J. 229

D'Urso, E.M.

- and Coulet, P.R.

Phosphate-sensitive enzyme electrode: a potential sensor for environment control 1

Flsheimer H N

- and Fries, T.L.

Determination of total tin in silicate rocks by graphite furnace atomic absorption spectrometry 145

Estela, J.M., see Más, F. 151

Ferra, M.I.A., see Lito, M.J.G.H.M. 129

Fraga-Trillo, L.M., see Bermejo-Barrera, A. 321

Fries, T.L., see Elsheimer, H.N. 145

Fujita, Y., see Katsu, T. 23

Furusawa, M., see Kiba, N. 307

Ganadu, M.L., see Nurchi, V. 157

Gennaro, M.C.

-, Bertolo, P.L. and Cordero, A.

Determination of nitrite and nitrate in Venice lagoon water by ion interaction reversed-phase liquid chromatography 203

Gomez, C., see Gomez, M.J. 229

Gomez, M.J.

-, De Benzo, Z., Gomez, C., Marcano, E., Torres, H. and Ramirez, M.

Comparison of methods for outlier detection and their effects on the classification results for a particular data base 229

Gonzalez, E.R., see Britz, D. 87

Halvax, J.J.

-. Wiese, G., Van Bennekom, W.P. and Bult, A.

Selective and sensitive on-line flow extraction, preconcentration and normal-phase liquid chromatography 171

Handa, M.

-, Shiozawa, K., Iwai, T. and Arai, Y.

Determination of nitrogen in UN, PuN and (U,Pu)N by oxidation in circulating oxygen and gas chromatographic measurement of the combustion gases 107

Harder, S., see Booksh, K. 53

Harman, A.R.

- and Baranski, A.S.

Fast cathodic stripping analysis with ultramicroelectrodes

Hassan, Y.A., see Al-Zamil, Z. 161

Hirose, S., see Yoshida, S. 181

Hoogendam, E., see Van Nugteren-Osinga, I.C. 245 Hou. W.

- and Wang, E.

Detection of flavins by liquid chromatography using an electrochemical detector with two electrodes in series 29

Imura, H., see Iwata, Y. 115

Inman, S.M.

—, Thibado, P., Theriault, G.A. and Lieberman, S.H. Development of a pulsed-laser, fiber-optic-based fluorimeter: determination of fluorescence decay times of polycyclic aromatic hydrocarbons in sea water 45

Ishihara, N., see Taguchi, H. 13

Iwai, T., see Handa, M. 107

Iwata, Y.

-, Imura, H. and Suzuki, N.

Selective preconcentration of rare earth elements by substoichiometric precipitation of calcium oxalate and its application to the neutron activation analysis of biological material 115

Kaliurand, M.

-, Koel, M. and Küllik, E.

Multiplex advantage and peak resolution in correlation chromatography 317

Kanaya, S., see Abe, H. 73

Kasimura, H.

-, Kishikawa, K., Kohmoto, S., Yamamoto, M. and Yamada, K.

Diastereomeric separation of α-amino acid derivatives using a chiral carbodiimide 297

Katsu T

-, Kayamoto, T. and Fujita, Y.

Amino acid analysis using amine-sensitive membrane electrodes 23

Kayamoto, T., see Katsu, T. 23

Khaledi, M.G.

- and Rodgers, A.H.

Micellar-mediated shifts of ionization constants of amino acids and peptides 121

Kiba, N.

-, Tagami, H. and Furusawa, M.

Determination of L-alanine in a flow-injection system with an immobilized enzyme reactor 307

Kihara, S., see Mukai, H. 277

Kishikawa, K., see Kasimura, H. 297

Kito, M., see Yoshida, S. 181

Koel, M., see Kaljurand, M. 317

Kohmoto, S., see Kasimura, H. 297

Komukai, T., see Abe, H. 73

Krishnan, V.

-, Xidis, A.L. and Neff, V.D.

Prussian blue solid-state films and membranes as potassium ion-selective electrodes 7

Küllik, E., see Kaljurand, M. 317

Kumamaru, T., see Okamoto, Y. 139

Kumbhar, A.G.

—, Rangarajan, S., Narasimhan, S.V. and Mathur, P.K. Polarographic reduction behaviour of copper in the presence of 1-amino-3-methoxypropane and 2-dimethyl-aminoethanol 291

Lancaster, J.S.

-, Worsfold, P.J. and Lynes, A.

Determination of a non-ionic surfactant in aqueous environmental samples by flow-injection analysis with chemiluminescence detection 189

Lavagnini, I.

-. Pastore, P. and Magno, F.

Comparison of the Kalman filter and dedicated algorithms for processing data for solution equilibria, noise smoothing and calibration 95

Lieberman, S.H., see Inman, S.M. 45

Liebich, V.

- and Otto, M.

Applications of fuzzy theory to spatially resolved analysis of solids 61

Linden, W.E. Van der, see Van Nugteren-Osinga, I.C. 245 Lito, M.J.G.H.M.

--, Camões, M.F.G.F.C., Ferra, M.I.A. and Covington, A.K.

Calculation of reference pH values for standard solutions from the corresponding acid dissociation constants 129

Lynes, A., see Lancaster, J.S. 189

Magno, F., see Lavagnini, I. 95

Marcano, E., see Gomez, M.J. 229

Marcos, J., see Agudo, M. 211

Marek, M., see Vrbová, E. 263 Marques da Silva, B., see Britz, D. 87

Márquez, M.

-, Silva, M. and Pérez-Bendito, D.

Continuous addition of reagent technique: a new approach to differential reaction-rate methods 221

Más, F.

-, Estela, J.M. and Cerdá, V.

Spectrophotometric determination of silicate with Rhodamine B by flow-injection analysis 151

Mathur, P.K., see Kumbhar, A.G. 291

Matsui, M., see Mukai, H. 277

Miyazaki, S., see Mukai, H. 277

Molnár-Perl, I.

—, Morvai, M., Pintér-Szakács, M. and Petró-Turza, M. Gas chromatographic determination of isocitric and malic acid in the presence of a large excess of citric acid 165

Morvai, M., see Molnár-Perl, I. 165

Mukai, H.

—, Miyazaki, S., Umetani, S., Kihara, S. and Matsui, M. Steric effect of ortho-substituents of 1-phenyl-3-methyl-4aroyl-5-pyrazolones on the synergic extraction of lutetium with trioctylphosphine oxide 277

Murata, H., see Okamoto, Y. 139

Narasimhan, S.V., see Kumbhar, A.G. 291

Neff, V.D., see Krishnan, V. 7

Neu, M., see Booksh, K. 53

Nugteren-Osinga, I.C. Van, see Van Nugteren-Osinga, I.C. 245 Nurchi, V.

-, Crisponi, G. and Ganadu, M.L.

A BASIC program for least-squares estimation of the parameters influencing line shapes in multi-site chemical exchange in nuclear magnetic resonance spectrometry 157

Okamoto V

-. Murata, H., Yamamoto, M. and Kumamaru, T. Determination of vanadium and titanium in steel by inductively coupled plasma atomic emission spectrometry with modified use of a tungsten boat furnace atomizer for atomic absorption spectrometry 139

Okumura, K., see Taguchi, H. 13

Otto, M., see Liebich, V. 61

Padron, G., see Besada, V. 301

Pastore, P., see Lavagnini, I. 95

Pérez-Bendito, D., see Márquez, M. 221

Petr, R., see Racek, J. 19

Petró-Turza, M., see Molnár-Perl, I. 165

Pintér-Szakács, M., see Molnár-Perl, I. 165

Przybyt, M.

and Sugier, H.

Tungsten electrode for urea 269

Quintana, M., see Besada, V. 301

Racek I

- and Petr. R

Biosensor for determination of hydrogen peroxide based on catalase activity of human erythrocytes 19

Ramirez, M., see Gomez, M.J. 229

Rangarajan, S., see Kumbhar, A.G. 291

Ratcliffe, N.M.

Polypyrrole-based sensor for hydrazine and ammonia 257

Ríos, A., see Agudo, M. 211

Rius, F.X., see Zupan, J. 311

Rodgers, A.H., see Khaledi, M.G. 121

Rojas, I., see Besada, V. 301

Sarantonis, E.G., see Syropoulos, A.B. 195

Sasaki, S., see Abe, H. 73

Schöffski, K., see Wünsch, G. 283

Shimabayashi, Y., see Taguchi, H. 13 Shimonishi, Y., see Besada, V. 301

Shiozawa, K., see Handa, M. 107

Silva, M., see Márquez, M. 221

Stolzberg, R.J., see Booksh, K. 53 Sugier, H., see Przybyt, M. 269

Sultan, S.M., see Al-Zamil, Z. 161

Suzuki, N., see Iwata, Y. 115

Syropoulos, A.B.

-, Sarantonis, E.G. and Calorkerinos, A.C.

Flow-injection chemiluminometric analysis of some steroids by their sensitizing effect on the bromate-sulphite reaction

Tagami, H., see Kiba, N. 307

Taguchi, H.

-, Ishihara, N., Okumura, K. and Shimabayashi, Y. Biosensor for peptide determination constructed by immobilizing proteolytic enzymes on coated-wire electrodes

Takahashi, Y., see Abe, H. 73

Takao, T., see Besada, V. 301

Takeshima, S., see Yoshida, S. 181

Theriault, G.A., see Inman, S.M. 45 Thibado, P., see Inman, S.M. 45

Torres, H., see Gomez, M.J. 229

Umetani, S., see Mukai, H. 277 Urakami, K., see Yoshida, S. 181 Urso, E.M.D', see D'Urso, E.M. 1

Valcárcel, M., see Agudo, M. 211

Van Bennekom, W.P., see Halvax, J.J. 171

Van der Linden, W.E., see Van Nugteren-Osinga, I.C. 245

Van Nugteren-Osinga, I.C.

, Hoogendam, E., Bos, M. and Van der Linden, W.E. Impulse-response functions of several detectors used in flow-injection analysis 245

Vrbová, E.

and Marek, M.

Application of the Ugi reaction for the preparation of enzyme electrodes 263

Wang, E., see Hou, W. 29

Wiese, G., see Halvax, J.J. 171

Worsfold, P.J., see Lancaster, J.S. 189

Wünsch, G.

and Schöffski, K. Die Iodierende Nebenreaktion im Karl-Fischer-System 283

Xidis, A.L., see Krishnan, V. 7

Yamada, K., see Kasimura, H. 297

Yamamoto, M., see Kasimura, H. 297

, see Okamoto, Y. 139

Yebra-Biurrun, M.C., see Bermejo-Barrera, A. 321

Yoshida, S.

-, Urakami, K., Kito, M., Takeshima, S. and Hirose, S. Precolumn derivatization for the determination of fluoropyrimidines by liquid chromatography with chemiluminescence detection 181

Zupan, J.

and Rius, F.X.

XYZ, a program for modeling, validation, prediction and graphic display of data 311